





be-square



Be-Square celebrates the most essential and pure aspect of concrete, a neutral and very impactful, versatile and timeless material, it becomes the star of the space discreetly, meticulously and elegantly.

Created in sizes of 60x120, 60x60, 30x60, 80x80 (both natural and semi-polished), 40x80, in 4 trendy colours from Avorio to Nero, Be-Square stands out in the 120x240 and 120x120 slabs, creating linear, seamless surfaces, ideal for the walls of urban spaces and city lofts.

The collection is embellished by a mix of 9 decorated cement tiles of 20x20 size, with nuances balanced in their intensity, and by a mix of 20x20 majolica tiles having a tactile surface consisting of matt and glossy contrasts.

A single decoration was chosen from both mixes of cement and majolica tiles to create strongly characterised decorative surfaces having huge aesthetic impact.


The decorative pieces are completed with a project of 30x30 two-colour Concrete/Black, Ivory/Sand tiles in which the geometric figures of circles and squares alternate. The tiles create, in their alternation, dynamic and vivacious decorative walls.

personal reflections

Be-Square celebra l'aspetto più essenziale e puro del cemento, materiale neutro e di grande impatto, versatile e senza tempo riesce ad essere protagonista dello spazio in modo discreto, rigoroso ed elegante. Realizzata nei formati 60x120, 60x60, 30x60, 80x80 (sia naturale che lappata), 40x80, in 4 colori di tendenza dall'avorio al nero, Be-square si esalta nelle lastre 120x240 e 120x120, creando superficie lineari, senza soluzione di continuità, ideale per rivestire spazi urbani e loft metropolitani.

La collezione è impreziosita da un mix di 9 cementine decorate 20x20, con nuance bilanciate nella loro intensità e da un mix di majoliche 20x20 contraddistinte da una superficie materica dai contrasti matt e lucidi. Da entrambi i mix di cementine e di majoliche è stato selezionato un decoro singolo per realizzare superfici decorative fortemente caratterizzate e di grande impatto estetico.

L'apparato decorativo si completa con un progetto di piastrelle 30x30 bicolore concrete/black, ivory/sand in cui si alternano le figure geometriche di cerchi e quadrati. Le piastrelle creano nell'alternarsi pareti decorative dinamiche vivaci.





80KC8R Concrete Nat. Rett. 80x80 - 31^{1/2}"x31^{1/2}"
02KCRB BeDecor Concrete Mix Nat. 20x20 - 7^{7/8}"x7^{7/8}"



02KCO Ivory Nat. 20x20 - 7^{7/8}"x7^{7/8}" **02KCRB** BeDecor Concrete Mix Nat. 20x20 - 7^{7/8}"x7^{7/8}"



BeDecor Majolica Mix

02KCRC BeDecor Majolica Mix Nat. 20x20 - 7^{7/8}"x7^{7/8}"
80KC9R Black Nat. Rett. 80x80 - 31^{1/2}"x31^{1/2}"

LARGER AND THINNER

New formats available on
SPRING 2018

120x120 cm

120x240 cm

6,5 mm



120x120 - 47^{1/4}"x47^{1/4}"

C3KB0R Ivory Nat. Rett. ● **86**
C3KB3R Sand Nat. Rett. ● **86**
C3KB8R Concrete Nat. Rett. ● **86**
C3KB9R Black Nat. Rett. ● **86**




120x240 - 47^{1/4}"x94^{1/2}"

C4KB0R Ivory Nat. Rett. ● **88**
C4KB3R Sand Nat. Rett. ● **88**
C4KB8R Concrete Nat. Rett. ● **88**
C4KB9R Black Nat. Rett. ● **88**



formati / formats



60x120 - 23^{5/8}"x47^{1/4}"

98KC0R Ivory Nat. Rett. ● **771**
98KC3R Sand Nat. Rett. ● **771**
98KC8R Concrete Nat. Rett. ● **771**
98KC9R Black Nat. Rett. ● **771**



80x80 - 31^{1/2}"x31^{1/2}"

80KC0R Ivory Nat. Rett. ● **78**
80KC3R Sand Nat. Rett. ● **78**
80KC8R Concrete Nat. Rett. ● **78**
80KC9R Black Nat. Rett. ● **78**

80KC0P Ivory Lapp. Rett. ● **81**
80KC3P Sand Lapp. Rett. ● **81**
80KC8P Concrete Lapp. Rett. ● **81**
80KC9P Black Lapp. Rett. ● **81**



60x60 - 23^{5/8}"x 23^{5/8}"

60KC0R Ivory Nat. Rett. ● **662**
60KC3R Sand Nat. Rett. ● **662**
60KC8R Concrete Nat. Rett. ● **662**
60KC9R Black Nat. Rett. ● **662**



40x80 - 15^{3/4}"x31^{1/2}"

48KC0R Ivory Nat. Rett. ● **74**
48KC3R Sand Nat. Rett. ● **74**
48KC8R Concrete Nat. Rett. ● **74**
48KC9R Black Nat. Rett. ● **74**



30x60 - 11^{3/16}"x 23^{5/8}"

63KC0R Ivory Nat. Rett. ● **61**
63KC3R Sand Nat. Rett. ● **61**
63KC8R Concrete Nat. Rett. ● **61**
63KC9R Black Nat. Rett. ● **61**

Si consiglia la posa con fuga 2 mm.
Laying with a 2 mm-joint is recommended.

BEDECOR MAJOLICA MIX



20x20 -7⁷/₈"x7⁷/₈"
02KCRC Rett. ● 85

BEDECOR MAJOLICA SINGLE



20x20 -7⁷/₈"x7⁷/₈"
02KCRE Rett. ● 85

OPTICAL



30x30 -11¹³/₁₆"x11¹³/₁₆"
30KC0RA Ivory/Sand Nat. Rett. ● 41
Pcs. Box. 4

BEDECOR CONCRETE MIX




20x20 -7⁷/₈"x7⁷/₈"
02KCRB Nat. Rett. ● 85

BEDECOR CONCRETE SINGLE



20x20 - 7⁷/₈"x7⁷/₈"
02KCRD Nat. Rett. ● 85



30x30 -11¹³/₁₆"x11¹³/₁₆"
30KC8RA Concrete/Black Nat. Rett. ● 41
Pcs. Box. 4

Mosaico 3x3*

Tessera - Chip 2,8x2,8 - 1¹/₈"x1¹/₈"



30x30 - 11¹³/₁₆"x11¹³/₁₆"
I30KC0R Ivory Nat. ● 96
I30KC3R Sand Nat. ● 96
I30KC8R Concrete Nat. ● 96
I30KC9R Black Nat. ● 96

Listelli sfalsati*



30x60 - 11¹³/₁₆"x 23⁵/₈"
M63KC0R Ivory Nat. ● 87
M63KC3R Sand Nat. ● 87
M63KC8R Concrete Nat. ● 87
M63KC9R Black Nat. ● 87

* Su rete in fibra
On fibre mesh backing




BATTISCOPA - SKIRTING
7,5x60 - 2¹⁵/₁₆"x23⁵/₈" Nat. Rett.
Pcs. Box. 15 - ML x Box 9,00

87CK0R Ivory ● 11
87CK3R Sand ● 11
87CK8R Concrete ● 11
87CK9R Black ● 11



BATTISCOPA - SKIRTING
4,6x80 - 1¹³/₁₆"x31¹/₂" Nat. Rett.
Pcs. Box. 12 - ML x Box 9,60

B2CK0R Ivory ● 16
B2CK3R Sand ● 16
B2CK8R Concrete ● 16
B2CK9R Black ● 16



GRADINO - STAIR TREAD
33x120 - 12¹⁵/₁₆"x47¹/₄" Nat. Rett.
Pcs. Box. 2 - ML x Box 2,40

74KC0R Ivory ● 90
74KC3R Sand ● 90
74KC8R Concrete ● 90
74KC9R Black ● 90



GRADONE - STEP
33x120x3,2x3,2 - 12¹⁵/₁₆"x47¹/₄"x1¹/₄"x1¹/₄" Nat. Rett.
Pcs. Box. 2 - ML x Box 2,40

CRKC0R Ivory ● 95
CRKC3R Sand ● 95
CRKC8R Concrete ● 95
CRKC9R Black ● 95



ANGOLARE DX / SX - CORNERTILE DX / SX
33x120x3,2x3,2 - 12¹⁵/₁₆"x47¹/₄"x1¹/₄"x1¹/₄" Nat. Rett.
Pcs. Box. 1 - ML x Box 1,20

ACKC0RD / ACKC0RS Ivory ● 100
ACKC3RD / ACKC3RS Sand ● 100
ACKC8RD / ACKC8RS Concrete ● 100
ACKC9RD / ACKC9RS Black ● 100



60x60 - 23^{5/8}" x 23^{5/8}"

- X60KC0R

Ivory Nat. Rett.

● 83
- X60KC3R

Sand Nat. Rett.

● 83
- X60KC8R

Concrete Nat. Rett.

● 83
- X60KC9R

Black Nat. Rett.

● 83



GRADONE - STEP
33x60x5 - 11^{13/16}"x23^{5/8}"x1^{15/16}" Nat. Rett.
Pcs. Box. 2 - ML x Box 1,20

- 2SKC0R

Ivory

● 83
- 2SKC3R

Sand

● 83
- 2SKC8R

Concrete

● 83
- 2SKC9R

Black

● 83



ANGOLARE DX / SX - CORNER TILE DX / SX
33x60x5 - 11^{13/16}"x23^{5/8}"x1^{15/16}" Nat. Rett.
Pcs. Box. 2 - ML x Box 1,20

- 2SKC0RD / 2SKC0RS

Ivory

● 93
- 2SKC3RD / 2SKC3RS

Sand


● 93
- 2SKC8RD / 2SKC8RS

Concrete

● 93
- 2SKC9RD / 2SKC9RS

Black

● 93



GRADINO - STAIR TREAD
33x60 - 11^{13/16}"x23^{5/8}" Nat. Rett.
Pcs. Box. 2 - ML x Box 1,20

- 4SKC0R

Ivory

● 77
- 4SKC3R

Sand

● 77
- 4SKC8R

Concrete

● 77
- 4SKC9R

Black

● 77

ALZATA - RISER
16,5x60 - 6^{1/2}"x23^{5/8}" Nat. Rett.
Pcs. Box. 2 - ML x Box 1,20

- 1TKC0R

Ivory

● 40
- 1TKC3R

Sand

● 40
- 1TKC8R

Concrete

● 40
- 1TKC9R

Black

● 40



TERMINALE - ENDINGPIECE
33x60x2,5 - 12^{15/16}"x23^{5/8}"x1^{15/16}" Nat. Rett.
Pcs. Box. 2 - ML x Box 1,20

- 3SKC0R

Ivory

● 83
- 3SKC3R

Sand

● 83
- 3SKC8R

Concrete

● 83
- 3SKC9R

Black

● 83



ANG. TERMINALE DX / SX
ENDINGPIECE CORNER DX / SX
33x60x2,5 - 12^{15/16}"x23^{5/8}"x1^{15/16}" Nat. Rett.
Pcs. Box. 2 - ML x Box 1,20

- 3SKC0RD / 3SKC0RS

Ivory

● 93
- 3SKC3RD / 3SKC3RS

Sand

● 93
- 3SKC8RD / 3SKC8RS

Concrete

● 93
- 3SKC9RD / 3SKC9RS

Black

● 93



	COEFFICIENTE DI ATTRITO Slip resistance - Coefficient de glissement Rutschfestigkeit Barfußbereich - Coeficiente de atrito medio Коэффициент трения	DIN 51130	NAT.	LAPP.	BEDECOR MAJOLICA	20MM
		DIN 51097	R 10 B (A+B)	-	R 9 -	R 11 C (A+B+C)
		ANSI A 137.1 2012 DCOF (SECTION 9.6)	WET ≥ 0,42	-	WET ≥ 0,42	WET ≥ 0,42
		B.C.R.A.	≥ 0,40	-	≥ 0,40	≥ 0,40

Articolo Item Reference Artikel Articulo Артикула	Formato (cm) Size (cm) Format (cm) Format (cm) Tamaño (cm) Формат (cm)	Spessore (mm) Thickness (mm) Epaisseur (mm) Stärke (mm) Espesor (mm) Толщина (mm)	Pz. x Mq. Pieces x Sqm Pcs / M² Stk. x Qm Pzs x Mc. Шт. x Кв.М.	Pz. x Scat. Pieces x Box Pcs / Bte Stk. x Krt. Pzs x Caja Шт. x Кор.	Mq. x Scat. Sqm x Box M² / Bte Qm x Krt. Mc. x Caja Кв.М. x Кор.	Peso x Scat. (Kg) Weight x Box (Kg) Poids / Bte (Kg) Gewicht x Krt. (Kg) Peso x Caja (Kg) Вес x Кор. (Kg)	Scat. x Pal. Boxes x Pal. Bte / Pal. Krt. x Pal. Cajas x Pal. Кор. x Подд.	Mq. x Pal. Sqm x Pal. M² / Pal. Qm x Pal. Mc. x Pal. Кв.М x Подд.	Peso x Pal. (Kg) Weight x Pal. (Kg) Poids / Pal. (Kg) Gewicht x Pal. (Kg) Peso x Pal. (Kg) Вес x Подд (Kg)
C4KB_R	120x240	6,5	0,35	1	2,880	46	20	57,60	920
C3KB_R	120x120	6,5	0,70	2	2,880	45,90	20	57,60	900
98KC_R	60x120	10	1,39	2	1,440	36,20	36	51,84	1303
60KC_R	60x60	10	2,78	3	1,080	24,50	40	43,20	980
X60KC_R	60x60	20	2,78	2	0,720	33,60	32	23,04	1075
63KC_R	30x60	10	5,56	6	1,080	25,00	40	43,20	1000
80KC_R/P	80x80	10	1,56	2	1,280	32,00	40	51,20	1280
48KC_R	40x80	10	3,13	3	0,960	24,00	28	26,88	672
M63KC_R	30x60	10	5,56	4	0,720	16,50	30	21,60	495
I30KC_R	30x30	10	11,11	5	0,450	10,50	-	-	-
02KCRB 02KCRC 02KCRD 02KCRC	20x20	10	25,00	18	0,720	17,00	72	51,84	1224



Emilceramica is a brand of Emilceramica S.r.l. a socio unico	Sede Commerciale/ Amministrativa
emilgroup.it/emilceramica emilgroup.it	Via Ghiarola Nuova, 29 - 41042 Fiorano Modenese (Mo) Italy T +39 0536 835111 - info@emilceramicagroup.it F (Italy) +39 0536 835958 - (Export) +39 0536 835490

EMIL
CERAMICA